

# Vaccine Administration Record for Children and Teens

Patient name: \_\_\_\_\_

Birthdate: \_\_\_\_\_

Chart number: \_\_\_\_\_

Vaccine	Type of Vaccine <sup>1</sup> (generic abbreviation)	Date given (mo/day/yr)	Source (F,S,P) <sup>2</sup>	Site <sup>3</sup>	Vaccine		Vaccine Information Statement		Signature/ initials of vaccinator
					Lot #	Mfr.	Date on VIS <sup>4</sup>	Date given <sup>4</sup>	
<b>Hepatitis B<sup>5</sup></b> (e.g., HepB, Hib-HepB, DTaP-HepB-IPV) Give IM.									
<b>Diphtheria, Tetanus, Pertussis<sup>5</sup></b> (e.g., DTaP, DTaP-Hib, DTaP-HepB-IPV, DT, DTaP-Hib-IPV, Tdap, DTaP-IPV, Td) Give IM.									
<b>Haemophilus influenzae type b<sup>5</sup></b> (e.g., Hib, Hib-HepB, DTaP-Hib-IPV, DTaP-Hib) Give IM.									
<b>Polio<sup>5</sup></b> (e.g., IPV, DTaP-HepB-IPV, DTaP-Hib-IPV, DTaP-IPV) Give IPV SC or IM. Give all others IM.									
<b>Pneumococcal</b> (e.g., PCV, conjugate; PPV, polysaccharide) Give PCV IM. Give PPV SC or IM.									
<b>Rotavirus (Rota)</b> Give oral (po).									
<b>Measles, Mumps, Rubella<sup>5</sup></b> (e.g., MMR, MMRV) Give SC.									
<b>Varicella<sup>5</sup></b> (e.g., Var, MMRV) Give SC.									
<b>Hepatitis A (HepA)</b> Give IM.									
<b>Meningococcal</b> (e.g., MCV4; MPSV4) Give MCV4 IM and MPSV4 SC.									
<b>Human papillomavirus</b> (e.g., HPV) Give IM.									
<b>Influenza<sup>5</sup></b> (e.g., TIV, inactivated; LAIV, live attenuated) Give TIV IM. Give LAIV IN.									
<b>Other</b>									

1. Record the generic abbreviation for the type of vaccine given (e.g., DTaP-Hib, PCV), *not* the trade name.
2. Record the source of the vaccine given as either F (Federally-supported), S (State-supported), or P (supported by Private insurance or other Private funds).

3. Record the site where vaccine was administered as either RA (Right Arm), LA (Left Arm), RT (Right Thigh), LT (Left Thigh), IN (Intranasal), or po (by mouth).
4. Record the publication date of each VIS as well as the date it is given to the patient.
5. For combination vaccines, fill in a row for each separate antigen in the combination.

# Vaccine Administration Record for Children and Teens

Patient name: Shawn Abler

Birthdate: February 3, 2006

Chart number: SA-4837

Vaccine	Type of Vaccine <sup>1</sup> (generic abbreviation)	Date given (mo/day/yr)	Source (F,S,P) <sup>2</sup>	Site <sup>3</sup>	Vaccine		Vaccine Information Statement		Signature/ initials of vaccinator
					Lot #	Mfr.	Date on VIS <sup>4</sup>	Date given <sup>4</sup>	
<b>Hepatitis B<sup>5</sup></b> (e.g., HepB, Hib-HepB, DTaP-HepB-IPV) Give IM.	<i>HepB</i>	2/03/06	S	RT	0651M	MRK	7/11/01	2/03/06	JTA
	<i>Hib-HepB</i>	4/03/06	S	RT	1051M	MRK	7/11/01	4/03/06	DCP
	<i>Hib-HepB</i>	6/05/06	S	RT	1051M	MRK	7/11/01	6/05/06	DCP
	<i>Hib-HepB</i>	2/05/07	S	LT	1106M	MRK	7/11/01	2/05/07	DCP
<b>Diphtheria, Tetanus, Pertussis<sup>5</sup></b> (e.g., DTaP, DTaP-Hib, DTaP-HepB-IPV, DT, DTaP-Hib-IPV, Tdap, DTaP-IPV, Td) Give IM.	<i>DTaP</i>	4/03/06	S	RT	647A2	GSK	7/30/01	4/03/06	DCP
	<i>DTaP</i>	6/05/06	S	RT	647A2	GSK	7/30/01	6/05/06	DCP
	<i>DTaP</i>	8/07/06	S	RT	647A2	GSK	7/30/01	8/07/06	DCP
	<i>DTaP</i>	5/07/07	S	RT	749B1	GSK	7/30/01	5/07/07	DCP
<b>Hib-HepB (Comvax)</b>									
<b>Haemophilus influenzae type b<sup>5</sup></b> (e.g., Hib, Hib-HepB, DTaP-Hib-IPV, DTaP-Hib) Give IM.	<i>Hib-HepB</i>	4/03/06	S	RT	1051M	MRK	12/16/98	4/03/06	DCP
	<i>Hib-HepB</i>	6/05/06	S	RT	1051M	MRK	12/16/98	6/05/06	DCP
	<i>Hib-HepB</i>	2/05/07	S	LT	1106M	MRK	12/16/98	2/05/07	DCP
<b>Polio<sup>5</sup></b> (e.g., IPV, DTaP-HepB-IPV, DTaP-Hib-IPV, DTaP-IPV) Give IPV SC or IM. Give all others IM.	<i>IPV</i>	4/03/06	S	LT	U4569-8	SPI	1/01/00	4/03/06	DCP
	<i>IPV</i>	6/05/06	S	LT	U4569-8	SPI	1/01/00	6/05/06	DCP
	<i>IPV</i>	4/03/07	S	LT	U4569-8	SPI	1/01/00	4/03/07	DCP
<b>Pneumococcal</b> (e.g., PCV, conjugate; PPV, polysaccharide) Give PCV IM. Give PPV SC or IM.	<i>PCV</i>	4/03/06	S	LT	489-835	WYE	9/30/02	4/03/06	DCP
	<i>PCV</i>	6/05/06	S	RT	489-835	WYE	9/30/02	6/05/06	DCP
	<i>PCV</i>	8/07/06	S	LT	489-835	WYE	9/30/02	8/07/06	DCP
	<i>PCV</i>	2/05/07	S	RT	591-123	WYE	9/30/02	2/05/07	DCP
<b>Rotavirus (Rota)</b> Give oral (po).	<i>Rota</i>	4/03/06	P	po	1234F	MRK			DCP
	<i>Rota</i>	6/05/06	P	po	1234F	MRK	4/12/06	6/05/06	DCP
	<i>Rota</i>	8/07/06	P	po	1234F	MRK	4/12/06	8/07/06	DCP
<b>Measles, Mumps, Rubella<sup>5</sup></b> (e.g., MMR, MMRV) Give SC. <b>MMRV (ProQuad)</b>	<i>MMRV</i>	2/05/07	P	RT	0857M	MRK	1/15/03	2/05/07	DCP
	<i>MMRV</i>	2/05/07	P	RT	0857M	MRK	1/10/07	2/05/07	DCP
<b>Hepatitis A (HepA)</b> Give IM.	<i>HepA</i>	4/03/07	S	RT	0634K	MRK	3/21/06	4/03/07	DCP
	<i>HepA</i>	10/03/07	S	RT	0634K	MRK	3/21/06	10/03/07	DCP
<b>Meningococcal</b> (e.g., MCV4; MPSV4) Give MCV4 IM and MPSV4 SC.									
<b>Human papillomavirus</b> (e.g., HPV) Give IM.									
<b>Influenza<sup>5</sup></b> (e.g., TIV, inactivated; LAIV, live attenuated) Give TIV IM. Give LAIV IN.	<i>TIV</i>	10/09/06	P	RT	U106459	SPI	6/30/06	10/09/06	DCP
	<i>TIV</i>	11/13/06	P	RT	U106459	SPI	6/30/06	11/13/06	DCP
	<i>TIV</i>	10/16/07	P	RT	U463152	SPI	7/16/07	10/16/07	DCP
<b>Other</b>									

1 shot, 2 different VIS dates

1 shot, 2 different VIS dates

How to record Hib-HepB and MMRV combination vaccines

- Record the generic abbreviation for the type of vaccine given (e.g., DTaP-Hib, PCV), *not* the trade name.
- Record the source of the vaccine given as either F (Federally-supported), S (State-supported), or P (supported by Private insurance or other Private funds).
- Record the site where vaccine was administered as either RA (Right Arm), LA (Left Arm), RT (Right Thigh), LT (Left Thigh), IN (Intranasal), or po (by mouth).
- Record the publication date of each VIS as well as the date it is given to the patient.
- For combination vaccines, fill in a row for each separate antigen in the combination.

# Vaccine Administration Record for Children and Teens

Patient name: Renee Schmidt

Birthdate: December 2, 2004

Chart number: 2345678

Vaccine	Type of Vaccine <sup>1</sup> (generic abbreviation)	Date given (mo/day/yr)	Source (F,S,P) <sup>2</sup>	Site <sup>3</sup>	Vaccine		Vaccine Information Statement		Signature/ initials of vaccinator
					Lot #	Mfr.	Date on VIS <sup>4</sup>	Date given <sup>4</sup>	
<b>Hepatitis B<sup>5</sup></b> (e.g., HepB, Hib-HepB, DTaP-HepB-IPV) Give IM.	<i>HepB</i>	12/02/04	F	RT	0651M	MRK	7/11/01	12/02/04	JTA
	<i>DTaP-HepB-IPV</i>	2/02/05	F	RT	635A2	GSK	7/11/01	2/02/05	DCP
	<i>DTaP-HepB-IPV</i>	4/02/05	F	RT	712A2	GSK	7/11/01	4/02/05	DCP
	<i>DTaP-HepB-IPV</i>	6/02/05	F	RT	712A2	GSK	7/11/01	06/02/05	DLW
<b>DTaP-HepB-IPV (Pediarix)</b>									
<b>Diphtheria, Tetanus, Pertussis<sup>5</sup></b> (e.g., DTaP, DTaP-Hib, DTaP-HepB-IPV, DT, DTaP-Hib-IPV, Tdap, DTaP-IPV, Td) Give IM.	<i>DTaP-HepB-IPV</i>	2/02/05	F	RT	635A2	GSK	7/30/01	2/02/05	DCP
	<i>DTaP-HepB-IPV</i>	4/02/05	F	RT	712A2	GSK	7/30/01	4/02/05	DCP
	<i>DTaP-HepB-IPV</i>	6/02/05	F	RT	712A2	GSK	7/30/01	6/02/05	DLW
	<i>DTaP-Hib</i>	3/02/06	F	RA	P0897AA	SPI	7/30/01	3/02/06	RLV
<b>DTaP-Hib (Trihibit)</b>									
<b>Haemophilus influenzae type b<sup>5</sup></b> (e.g., Hib, Hib-HepB, DTaP-Hib-IPV, DTaP-Hib) Give IM.	<i>Hib</i>	2/02/05	F	LT	UA744AA	SPI	12/16/98	2/02/05	DCP
	<i>Hib</i>	4/02/05	F	LT	UA744AA	SPI	12/16/98	4/02/05	DCP
	<i>Hib</i>	6/02/05	F	LT	UA744AA	SPI	12/16/98	6/02/05	DLW
	<i>DTaP-Hib</i>	3/02/06	F	RA	7172AA	SPI	12/16/98	3/02/05	RLV
<b>Polio<sup>5</sup></b> (e.g., IPV, DTaP-HepB-IPV, DTaP-Hib-IPV, DTaP-IPV) Give IPV SC or IM. Give all others IM.	<i>DTaP-HepB-IPV</i>	2/02/05	F	RT	635A2	GSK	1/01/00	2/02/05	DCP
	<i>DTaP-HepB-IPV</i>	4/02/05	F	RT	712A2	GSK	1/01/00	4/02/05	DCP
	<i>DTaP-HepB-IPV</i>	6/02/05	F	RT	712A2	GSK	1/01/00	6/02/05	DLW
<b>Pneumococcal</b> (e.g., PCV, conjugate; PPV, polysaccharide) Give PCV IM. Give PPV SC or IM.	<i>PCV</i>	2/02/05	F	LT	489-835	WYE	9/30/02	2/02/05	DCP
	<i>PCV</i>	4/02/05	F	RT	489-835	WYE	9/30/02	4/02/05	DCP
	<i>PCV</i>	6/02/05	F	LT	489-835	WYE	9/30/02	6/02/05	DLW
	<i>PCV</i>	3/02/06	F	LA	501-245	WYE	9/30/02	3/02/06	RLV
<b>Rotavirus (Rota)</b> Give oral (po).									
<b>How to record DTaP-HepB-IPV and DTaP-Hib combination vaccines</b>									
<b>Measles, Mumps, Rubella<sup>5</sup></b> (e.g., MMR, MMRV) Give SC.	<i>MMRV</i>	12/02/05	P	RA	0857M	MRK	1/15/03	12/02/05	DLW
<b>Varicella<sup>5</sup></b> (e.g., Var, MMRV) Give SC.	<i>MMRV</i>	12/02/05	P	LA	0857M	MRK	12/16/98	12/02/05	DLW
<b>Hepatitis A (HepA)</b> Give IM.	<i>HepA</i>	12/02/05	F	LA	0524L	MRK	8/04/04	12/02/05	MAT
	<i>HepA</i>	6/02/06	F	LA	0634K	MRK	3/21/06	6/02/06	MAT
<b>Meningococcal</b> (e.g., MCV4; MPSV4) Give MCV4 IM and MPSV4 SC.									
<b>Human papillomavirus</b> (e.g., HPV) Give IM.									
<b>Influenza<sup>5</sup></b> (e.g., TIV, inactivated; LAIV, live attenuated) Give TIV IM. Give LAIV IN.	<i>TIV</i>	10/05/05	F	RA	U097543	SPI	7/18/06	10/05/05	JTA
	<i>TIV</i>	11/05/05	F	RA	U097543	SPI	10/20/05	11/05/05	DCP
	<i>TIV</i>	10/16/06	F	LA	U106459	SPI	6/30/06	10/16/06	MAT
<b>Other</b>									

1. Record the generic abbreviation for the type of vaccine given (e.g., DTaP-Hib, PCV), *not* the trade name.
2. Record the source of the vaccine given as either F (Federally-supported), S (State-supported), or P (supported by Private insurance or other Private funds).

3. Record the site where vaccine was administered as either RA (Right Arm), LA (Left Arm), RT (Right Thigh), LT (Left Thigh), IN (Intranasal), or po (by mouth).
4. Record the publication date of each VIS as well as the date it is given to the patient.
5. For combination vaccines, fill in a row for each separate antigen in the combination.

# Vaccine Administration Record for Children and Teens

Patient name: Jane Stamper

Birthdate: October 15, 1989

Chart number: 3456789

Vaccine	Type of Vaccine <sup>1</sup> (generic abbreviation)	Date given (mo/day/yr)	Source (F,S,P) <sup>2</sup>	Site <sup>3</sup>	Vaccine		Vaccine Information Statement		Signature/ initials of vaccinator
					Lot #	Mfr.	Date on VIS <sup>4</sup>	Date given <sup>4</sup>	
<b>Hepatitis B<sup>5</sup></b> (e.g., HepB, Hib-HepB, DTaP-HepB-IPV) Give IM.	HepB (1.0 ml)	6/02/02	P	RA	0651M	MRK	7/11/01	6/02/02	TAA
	HepB (1.0 ml)	1/02/03	P	RA	0651M	MRK	7/11/01	1/02/03	TAA
2-dose adult HepB for adolescents									
<b>Diphtheria, Tetanus, Pertussis<sup>5</sup></b> (e.g., DTaP, DTaP-Hib, DTaP-HepB-IPV, DT, DTaP-Hib-IPV, Tdap, DTaP-IPV, Td) Give IM.	DTP	12/15/89	P	RT	326-912	LED	1/01/88	12/15/89	DCP
	DTP	2/15/90	P	RT	326-912	LED	1/01/88	2/15/90	DCP
	DTP	4/15/90	P	RT	326-912	LED	1/01/88	4/15/90	DLW
	DTP	4/15/91	P	RA	326-912	LED	1/01/88	4/15/91	RLV
	DTP	4/15/94	P	RA	326-912	LED	10/15/91	4/15/94	JTA
<b>Haemophilus influenzae type b<sup>5</sup></b> (e.g., Hib, Hib-HepB, DTaP-Hib-IPV, DTaP-Hib) Give IM.	Hib	12/15/89	P	LT	1492L	MRK	6/01/89	12/15/89	DCP
	Hib	2/15/90	P	LT	1492L	MRK	6/01/89	2/15/90	DCP
	Hib	10/15/90	P	LT	1492L	MRK	6/01/89	10/15/90	DLW
<b>Polio<sup>5</sup></b> (e.g., IPV, DTaP-HepB-IPV, DTaP-Hib-IPV, DTaP-IPV) Give IPV SC or IM. Give all others IM.	OPV	12/15/89	P	po	0678A	LED	3/01/83	12/15/89	DCP
	OPV	2/15/90	P	po	0678A	LED	3/01/83	2/15/90	DCP
	OPV	4/15/91	P	po	0896A	LED	3/01/83	4/15/91	RLV
	OPV	4/15/94	P	po	0987A	LED	10/15/91	4/15/94	JTA
<b>Pneumococcal</b> (e.g., PCV, conjugate; PPV, polysaccharide) Give PCV IM. Give PPV SC or IM.	How to record adult HepB vaccine given to 11-15 year olds								
<b>Rotavirus (Rota)</b> Give oral (po).									
<b>Measles, Mumps, Rubella<sup>5</sup></b> (e.g., MMR, MMRV) Give SC.	MMR	1/15/91	P	RA	0857M	MRK	1/01/88	1/15/91	DLW
	MMR	10/15/01	P	LA	0946M	MRK	1/01/88	10/15/01	PWS
<b>Varicella<sup>5</sup></b> (e.g., Var, MMRV) Give SC.	Var	10/15/01	P	LA	0799M	MRK	12/16/98	10/15/01	PWS
	Var	10/15/07	P	LA	0689M	MRK	1/10/07	10/15/07	JTA
<b>Hepatitis A (HepA)</b> Give IM.									
<b>Meningococcal</b> (e.g., MCV4; MPSV4) Give MCV4 IM and MPSV4 SC.	MCV4	8/19/05	P	LA	U1766AA	SPI	4/4/05	8/19/05	DCP
<b>Human papillomavirus</b> (e.g., HPV) Give IM.	HPV	9/12/06	P	RA	0637F	MRK	9/6/06	9/12/06	MAT
	HPV	11/14/06	P	RA	0637F	MRK	9/5/06	11/14/06	MAT
	HPV	3/14/07	P	LA	0637F	MRK	2/02/07	3/14/07	JTA
<b>Influenza<sup>5</sup></b> (e.g., TIV, inactivated; LAIV, live attenuated) Give TIV IM. Give LAIV IN.	LAIV	10/15/07	P	IN	500491P	MED	10/04/07	10/15/07	MAT
<b>Other</b>	Tdap	7/9/06	P	LA	C2454AA	SPI	9/22/05	7/9/06	MAT

- Record the generic abbreviation for the type of vaccine given (e.g., DTaP-Hib, PCV), not the trade name.
- Record the source of the vaccine given as either F (Federally-supported), S (State-supported), or P (supported by Private insurance or other Private funds).

- Record the site where vaccine was administered as either RA (Right Arm), LA (Left Arm), RT (Right Thigh), LT (Left Thigh), IN (Intranasal), or po (by mouth).
- Record the publication date of each VIS as well as the date it is given to the patient.
- For combination vaccines, fill in a row for each separate antigen in the combination.